



Fa. Tonehunter
Grengeler Mauspfad 183
51147 Köln
Deutschland

Tel.: +49.(0)2203.962780
Fax: +49.(0)2203.962790

info@tonehunter.de
<http://www.tonehunter.de>

Tremo-Phonic

Bedienungsanleitung
Operating Instructions



Tremo-Phonic

Tremolo ist nicht gleich Tremolo: Tweed, Brown oder Blackface – jedes Tremolo klingt anders. Beim Tonehunter **Tremo-Phonic** habe ich bei der Entwicklung darauf geachtet, dass alle Classic-Tremolo-Sounds auf analoger Basis machbar sind: von weichen bis harten Swells. Langsam, tief mit herrlichen Harmonics oder schnell mit heavy Stutter. Ich kenne auch viele, die ihr **Tremo-Phonic** so einstellen: Speed-Regler nur einen Hauch und dann nur soviel Depth hinzufügen, dass eine leichte Kompression den Sound wunderbar zart und subtil pulsieren lässt.

Technische Daten:

Gewicht: 300 g
Länge: 12,05 cm
Breite: 9,5 cm
Höhe über alles: 5,1 cm
Spannungsbereich: 9V DC
Max. Stromaufnahme: 15 mA

Allgemeine Beschreibung:

- 1** Eingang für Gitarrensinal
- 2** Ausgangssignal zum Verstärker
- 3** Depth Regler
- 4** Speed Regler
- 5** Ein / Aus Schalter
- 6** LED Anzeige
- 7** 9V DC Anschluss

Tremo-Phonic

How does a special tremolo stand out from many others? A tremolo must be more than a simple loud-low effect. Everyone who had the pleasure, to play the vibrato-effect of an old California amp, knows what's the deal with that special vibe. The said bias tremolos created an intense pulsing, added slight harmonics and gave a special feel.

With the Tonehunters Tremo-Phonic we managed to produce that vibe with a complex analog base: A specifically developed and only for the Tremo-Phonic manufactured opto-coupler represents the centerpiece. Without changing the main tone in any way, the Tremo-Phonic covers the full range of tremolo effects from smooth to hard swells and from slow to ultra quick.

All this can be managed with just two controls: Depth adjusts the effects intensity. At a very low depth level the effect is highly subtle, and acts almost as slight compressor while playing. Only in the fade away you can hear that low pulsing. In higher ranges the effect gets more distinctly, up to strong effect swells. Speed adjusts the effects rate with a huge bandwidth.

Technical Data:

Weight: 300 g
Length: 4,74"
Width: 3,74"
Overall Height: 2,00"
Voltage: 9V DC
max Current: 15 mA

General Description:

- 1 Input for guitar signal
- 2 Output to amp
- 3 Depth control
- 4 Speed control
- 5 On / Off switch
- 6 LED indicator
- 7 9V DC connector